

## Anti-Silicone Additive

### PRODUCT DATA SHEET

**An additive to aid paint application when silicone contamination may be present = Helps to reduce reject rate**

<b>Product &amp; Ancillaries</b>	KS1A14 Anti-Silicone Additive
<b>Preparation</b>	Whilst this product is likely to be used in environments subject to silicone contamination, full preparation guidelines should be followed from the relevant product data sheet
<b>Procedure</b>	To be added to the following resin lines in the following quantities: 222 = 10ml per litre of base pack 233 = 10ml per litre of base pack 400 = 20ml per litre of base pack 600 = 20ml per litre of base pack 800 = 10ml per litre of base pack  Anti-Silicone Additive should be added prior to thinning and catalysing (i.e. to the "base pack"). It should only be added immediately prior to application. Paint with the additive should not be stored.
<b>Drying Time</b>	Drying times of the relevant product will not be affected. Please see relevant product data sheet.
<b>Packaging</b>	250ml plastic bottle with 10ml dispenser.
<b>Shelf Life</b>	24 months in an unopened, original container from date of manufacture. Storage should be in accordance with the instructions in Section 7 of the relevant Material safety Data Sheet.
<b>Colour</b>	Clear
<b>Flash Point</b>	23°C
<b>Pot Life</b>	Pot life of two pack products will be unaffected when using Anti-Silicone Additive. Please consult relevant product data sheet
<b>Properties</b>	VOC 828g/l  Specific Gravity 0.97

**Before using this product please refer to the Cromadex Material Safety Data Sheet.**

*Disclaimer : The information contained in this data sheet is not intended to be exhaustive, and any person using the product without first obtaining written confirmation from us as to the suitability of the product for the intended purposes, does so at their own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct, we have no control over either the quality or condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree to do so, we do not accept any liability whatsoever arising from the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of this product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development. It is the user's responsibility to check that this data sheet is current prior to using the product.*